

An antidepressant or a pharmaceutically acceptable salt thereof, and an opiate antagonist or a pharmaceutically acceptable salt thereof, are used to treat refractory depression characterized by dissociation.

$$\begin{array}{ccccccc} \{ \mathcal{H}_{\text{out}}^{(2)} \} & \{ \mathcal{H}_{\text{out}}^{(1)} \} & \{ \mathcal{H}_{\text{out}}^{(0)} \} & \{ \mathcal{H}_{\text{out}}^{(-1)} \} & \{ \mathcal{H}_{\text{out}}^{(-2)} \} & \{ \mathcal{H}_{\text{out}}^{(-3)} \} & \{ \mathcal{H}_{\text{out}}^{(-4)} \} \\ \text{out} & \text{out} & \text{out} & \text{out} & \text{out} & \text{out} & \text{out} \\ \{ \mathcal{H}_{\text{in}}^{(2)} \} & \{ \mathcal{H}_{\text{in}}^{(1)} \} & \{ \mathcal{H}_{\text{in}}^{(0)} \} & \{ \mathcal{H}_{\text{in}}^{(-1)} \} & \{ \mathcal{H}_{\text{in}}^{(-2)} \} & \{ \mathcal{H}_{\text{in}}^{(-3)} \} & \{ \mathcal{H}_{\text{in}}^{(-4)} \} \\ \text{in} & \text{in} & \text{in} & \text{in} & \text{in} & \text{in} & \text{in} \end{array}$$